

Safety Data Sheet

This safety data sheet complies with the requirements of: 2012 OSHA Hazard Communication Standard (29CFR 1910.1200)

Product name PYRO-CHEM® ABC Multipurpose Dry Chemical Stored Pressure Extinguisher

1. Identification	
1.1. Product Identifier Product name	PYRO-CHEM® ABC Multipurpose Dry Chemical Stored Pressure Extinguisher
1.2. Other means of identification Product code UN/ID no Synonyms Chemical Family	553624 UN1044 None No information available
1.3. Recommended use of the cher	nical and restrictions on use
Recommended use	No information available.
Uses advised against	Consumer use.
1.4. Details of the Supplier of the S	afety Data Sheet_
Company Name	Tyco Fire Protection Products One Stanton Street Marinette, WI 54143-2542 Telephone: 715-735-7411
Contact point	Product Stewardship at 1-715-735-7411
E-mail address	psra@tycofp.com
1.5. Emergency Telephone Number	
Emergency telephone	CHEMTREC 001-800-424-9300 or 001-703-527-3887

2. Hazards Identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Simple asphyxiants Gases Under Pressure - Compressed Gas

2.2. Label Elements

Signal Word WARNING

Hazard Statements

May displace oxygen and cause rapid suffocation Contains gas under pressure; may explode if heated





Precautionary Statements

Storage

Protect from sunlight. Store in a well-ventilated place.

/

2.3. Hazards Not Otherwise Classified (HNOC)

Not Applicable.

2.4. Other Information

Unknown Acute Toxicity

99.13456% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/information on Ingredients

3.1. Mixture

The following component(s) in this product are considered hazardous under applicable OSHA(USA)

Chemical name	CAS No.	weight-%
Attapulgite	12174-11-7	1 - 5
Calcium carbonate	471-34-1	1 - 5

4. First aid measures

4.1. Description of first aid measur	res
General Advice	Call 911 or emergency medical service. Remove and isolate contaminated clothing and shoes.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists: Get medical advice/attention.
Skin contact	In case of contact with liquefied gas, thaw frosted parts with lukewarm water.
Inhalation	Move victim to fresh air. If breathing is irregular or stopped, administer artificial respiration. Administer oxygen if breathing is difficult.
Ingestion	If swallowed: Call a POISON CENTER or doctor/physician if you feel unwell.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
4.2. Most Important Symptoms and Symptoms	d Effects, Both Acute and Delayed None known.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

Note to physicians Keep victim warm and quiet.

5. Fire-fighting measures



5.1. Suitable Extinguishing Media

Use extinguishing agent suitable for type of surrounding fire. Dry chemical or CO2. Water spray, fog or regular foam.

5.2. Unsuitable Extinguishing Media

None.

5.3. Specific Hazards Arising from the Chemical

Ruptured cylinders may rocket. Some may burn but none ignite readily.

1

5.4. Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

5.5. Protective Equipment and Precautions for Firefighters

Move containers from fire area if you can do it without risk. Damaged cylinders should be handled only by specialists.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal PrecautionsDo not touch or walk through spilled material. Stop leak if you can do it without risk.OTHER INFORMATIONVentilate the area.For emergency respondersUse personal protection recommended in Section 8.6.2. Environmental PrecautionsUse water spray to reduce vapors or divert vapor cloud drift. Avoid allowing water runoff to contact spilled material. Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for Containment	If possible, turn leaking containers so that gas escapes rather than liquid. Allow substance to evaporate.
Methods for Cleaning Up	Use personal protective equipment as required. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Take up mechanically, placing in appropriate containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly.

7. Handling and Storage

7.1. Precautions for Safe Handling

Advice on safe handling Avoid generation of dust. Do not breathe dust/fume/gas/mist/vapors/spray. Use with local exhaust ventilation. Use personal protective equipment as required. Wash thoroughly after handling.



7.2. Conditions for safe storage, including any incompatibilities

1

Storage ConditionsStore in a well-ventilated place. Keep cool. Keep container tightly closed. Guard against
dust accumulation of material. Use care in handling/storage. Pressurized extinguishers
should be properly stored and secured to prevent falling or being knocked over.Incompatible MaterialsStrong acids.

8. Exposure Controls/Personal Protection

8.1. Control Parameters

Exposure guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL
Attapulgite	TWA: 1 mg/m ³ respirable	-	-	-
12174-11-7	particulate matter			
Calcium carbonate	-	-	TWA: 10 mg/m ³ total dust	-
471-34-1			TWA: 5 mg/m ³ respirable	
			dust	

ACGIH (American Conference of Governmental Industrial Hygienists) OSHA (Occupational Safety and Health Administration of the US Department of Labor): NIOSH IDLH Immediately Dangerous to Life or Health

8.2. Appropriate Engineering Controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

8.3. Individual protection measures, such as personal protective equipment

Eye/Face Protection	Avoid contact with eyes. Tight sealing safety goggles.
Skin and Body Protection	No special precautions are needed in handling this material.
Respiratory Protection	In case of insufficient ventilation, wear suitable respiratory equipment.

Ventilation Use local exhaust or general dilution ventilation to control exposure with applicable limits

8.4. General hygiene considerations

. . .

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State	powder
Odor	odorless
Odor Threshold	No data available
<u>Property</u>	<u>Values</u>
pH	No data available
Melting point/freezing point	No data available
Boiling point / boiling range	No data available
Flash Point	No data available

Color

Yellow

Remarks • Method



Evaporation Rate No data available Flammability (solid, gas) No data available Flammability limit in air Upper flammability limit: Lower flammability limit: Vapor Pressure Vapor Density Specific gravity Water Solubility Solubility in Other Solvents Partition coefficient **Autoignition Temperature Decomposition Temperature Kinematic viscosity** No data available

No data available No data available

1

10. Stability and Reactivity

10.1. Chemical Stability

Stable under recommended storage conditions.

10.2. Reactivity

No data available

10.3. Possibility of hazardous reactions

Hazardous polymerization does not occur.

Hazardous Polymerization Hazardous polymerization does not occur.

10.4. Conditions to Avoid

None known based on information supplied.

10.5. Incompatible Materials

Strong acids.

10.6. Hazardous decomposition products

Carbon oxides. Nitrogen oxides (NOx).

11. Toxicological Information

11.1. Information on Likely Routes of Exposure

Product information

Inhalation	May cause irritation of respiratory tract.
Eye Contact	May cause irritation.
Skin contact	May cause irritation.



Ingestion

Ingestion may cause irritation to mucous membranes.

Component Information Acute Toxicity

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium carbonate	= 6450 mg/kg (Rat)	-	-
471-34-1			

11.2. Information on Toxicological Effects

Symptoms

No information available.

1

11.3. Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/Irritation	No information available.
Serious eye damage/eye irritation	No information available.
Sensitization	No information available.
Germ Cell Mutagenicity	No information available.
Carcinogenicity	Attapulgite (palygorskite fibers) is a hydrated magnesium aluminum silicate. Long
	palygorskite (attapulgite) fibers (>5 micrometers) are possibly carcinogenic to humans
	(Group 2B). Short palygorskite (attapulgite) fibers (<5 micrometers) cannot be classified as
	to their carcinogenicity to humans (Group 3). The attapulgite present in this product
	contains fibers 0.5-2.5 um range, so would be considered by IARC as Group 3.

Chemical name	ACGIH	IARC	NTP	OSHA
Attapulgite	-	Group 3	-	Х
12174-11-7				

ACGIH (American Conference of Governmental Industrial Hygienists) A2 - Suspected Human Carcinogen IARC (International Agency for Research on Cancer) Not classifiable as a human carcinogen Group 1 - Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present **Reproductive Toxicity** No information available. **STOT - Single Exposure** No information available. **STOT - Repeated Exposure** No information available. **Target organ effects** Eyes, Respiratory System, Skin. **Aspiration Hazard** No information available.

11.4. Numerical Measures of Toxicity - Product information

The following values are calculated based on chapter 3.1 of the GHS documentATEmix (dermal)8156 mg/kg

12. Ecological Information

12.1. Ecotoxicity

Not classified.

0.03348% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Ammonium sulfate, technical	-	LC50 96 h 460 - 1000 mg/L	LC50 48 h = 14 mg/L Daphnia



1

Product name PYRO-CHEM® / ABC Multipurpose Dry Chemical Stored Pressure Extinguisher

PAGE 7 / 10

7783-20-2		Leuciscus idus static; LC50 96 h	magna; EC50 24 h = 423 mg/L
		123 - 128 mg/L Poecilia reticulata	Daphnia magna
		semi-static; LC50 96 h = 126 mg/L	
		Poecilia reticulata; LC50 96 h > 100	
		mg/L Pimephales promelas; LC50	
		96 h 32.2 - 41.9 mg/L	
		Oncorhynchus mykiss flow-through;	
		LC50 96 h 5.2 - 8.2 mg/L	
		Oncorhynchus mykiss static; LC50	
		96 h = 18 mg/L Cyprinus carpio;	
		LC50 96 h = 480 mg/L Brachydanio	
		rerio flow-through; LC50 96 h = 420	
		mg/L Brachydanio rerio semi-static;	
		LC50 96 h = 250 mg/L Brachydanio	
		rerio	
Silicic Acid/silica gel, Amorphous	EC50 (72h) = 440 mg/L	LC50 (96h) static = 5000 mg/L	EC50 (48h) = 7600 mg/L
7631-86-9	Pseudokirchneriella subcapitata	Brachydanio rerio	Ceriodaphnia dubia

12.2. Persistence and Degradability

No information available.

<u>12.3. Bioaccumulation</u> No information available.

12.4. Other Adverse Effects

No information available

13. Disposal Considerations	
13.1. Waste Treatment Methods Disposal of wastes	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated Packaging	Do not reuse container. Pressurized container: Do not pierce or burn, even after use.
14. Transport Information	

DOT	
UN/ID no	UN1044
Description	UN1044, Fire extinguishers, 2.2
Proper Shipping Name	Fire extinguishers
Hazard class	2.2
Special Provisions	18, 110
Emergency Response Guide	126
Number	



PAGE 8/10

TDG

UN/ID no Description Proper Shipping Name Hazard class

MEX

UN/ID no Description Proper Shipping Name Hazard class

ICAO (air)

UN/ID no Description Proper Shipping Name Hazard class Special Provisions

IATA

UN/ID no	UN1044
Description	UN1044, Fire extinguishers, 2.2
Proper Shipping Name	Fire extinguishers
Hazard class	2.2
ERG Code	2L
Special Provisions	A19

/

UN1044

UN1044

UN1044

2.2

2.2

2.2

A19

Fire extinguishers

Fire extinguishers

Fire extinguishers

UN1044, Fire extinguishers, 2.2

UN1044, Fire extinguishers, 2.2

UN1044, Fire extinguishers, 2.2

IMDG

UN/ID no Description Proper Shipping Name Hazard class EmS-No Special Provisions UN1044 UN1044, Fire extinguishers, 2.2 Fire extinguishers 2.2 F-C, S-V 225

15. Regulatory Information	
15.1. International Inventories	
TSCA	Complies
DSL/NDSL	Complies
ENCS	Does not comply
IECSC	Complies
KECL	Does not comply
PICCS	Complies

Legend:

AICS

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
 ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances
 PICCS - Philippines Inventory of Chemicals and Chemical Substances

Complies

AICS - Australian Inventory of Chemical Substances



1

Product name PYRO-CHEM® / ABC Multipurpose Dry Chemical Stored Pressure Extinguisher

15.2. US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Ammonium dihydrogen phosphate - 7722-76-1	1.0
Ammonium sulfate, technical - 7783-20-2	1.0
SARA 311/312 Hazard Categories	
Acute Health Hazard	No
Chronic health hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	Yes
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

.

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

15.3. US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Attapulgite - 12174-11-7	Carcinogen
Quartz - 14808-60-7	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Silicic Acid/silica gel, Amorphous	-	X	X
7631-86-9			
Quartz	Х	Х	X
14808-60-7			
Magnesium carbonate	Х	Х	-
546-93-0			

16. Other information, including date of preparation of the last revision				
<u>NFPA</u>	Health Hazards 0	Flammability 0	Instability 0	Physical and chemical properties -
HMIS	Health Hazards 0	Flammability 0	Physical Hazards 3	Personal Protection X



PAGE 10/10

Revision date 31-Jul-2017 Revision note No information available. Disclaimer

1

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet